50mm

Slide-Folding Glass Partition System FGP-150



FGP-150 End-folding Glass Door System Products Highlight and Special Features:

Exclusive and unique design with full range End-folding glass door systems. suitable for door weight up to 700 kg, Ideal for applications such as shop-front, hotel, conference room, commercial office and residential applications. The main advantage of FGP-150 slide-folding glass door system is that it allows effectively utilization of limited spatial arrangements. The door does not require additional swing or stacking space to open and store while panel is in open position. The FGP-150 slide-folding glass door system makes perfect statement of premium quality and visual enhancement to the planned environment. The FGP-150 slide-folding glass door system with suspension bolt combined with heavy duty ball. Bearing wheeled provide slide folding glass partition system with long life use, secure fixing and with smooth running operation.

Method of test: 10,000 cycles.

Glass panel configuration: 2 to 8 panel.

Technical detail and specification:

-Top Track: available in 2 meters, 3 meters, 4 meters, 5 meters and 6 meters length, with Silver natural anodize finish. -Prepare for ceiling fixing.

-Glass thickness: 10-12 mm, 13.5-15mm glass thickness are available upon request.

-Glass hinges and accessories:


1). Top Track.

- 2). Top pivot with hinge.
- 3). Bottom pivot with hinge.
- 4). 2-wheeled end hanger with hinge.
- 5). 4-wheeled end hanger with hinge.
- 6). End guide with hinge.
- 7). 4-wheeled mid hanger with double hinge.
- 8). Double hinge with spring loaded fixing bolt.
- 9). Glass to glass support hinge.
- 10). Glass to glass support hinge with pull handle.
- 11). Mid guide with double hinge.
- 12). U-profile channel.
- 13). WGL-818 Center glass Dead Lock.
- 14). WGL-300 Center glass hook Lock.
- 15). WGL-580 Center glass hook Lock with hook bolt adjust distance construction .

GUARANTEE


The **WEIDER** Slide-Folding Glass Partition System are guaranteed **3** years from date of manufacture against any defects in material or workmanship. Defective products will be replaced with a new unit; but no clams for damage incurred or work done thereon will be allowed. This guarantee is void if the product has been subjected to misaplication or abuse.





Slide-Folding Glass Partition System

FGP-150 Accessories



Slide-Folding Glass Partition System

FGP-150 Implementation




Rev.20151204 International Patent

Registered


a). FGP-150-2P-OS

2 Leaves folding to one side.




b). FGP-150-3P-OS

3 Leaves with swinger folding to post.




c). FGP-150-3P-BS

3 Leaves, 1 Leaves swinger hinged to the post, 2 Leaves slide to the right.



d). FGP-150-4P-OS

4 Leaves with swinger folding to post.



Rev.20151204

Center Folding Timber / Metal Door System WCFD-800T-80



Description

Weider has long been acknowledged in the design and manufacture of Sliding Door Gear System, Sliding Glass Locks for the international market. Our highly professional design team introduced a system that ideal for easy Center Folding system for a 2-panel door assembly for each side with smooth and quiet operation.

Features and Specifications

- Application: For Timber / Metal Center Folding Doors.
- Patented Durable Mechanism
- Prepare for ceiling and wall bracket
- Door thickness: 10-12mm / 0.394 0.472in
- Maximum Door Weight: 80KG ; 120KG ; 150KG per Sytem / 176.37lb; 264.555lb ; 330.69lb per System
- Available in 3M-6M (118.11 236.22in) Track
- Technical Details: Refer to Center Folding Timber/ Metal Door System Selection Chart
- Per panel door Width: Up to 400mm / 15.748in
- Per panel door Height: Up to 2500mm / 98.425in
- Meets requirement of BS EN 1527:1998
- Life Cycle Test: 100,000 Cycles (Open/Close)
- Standard Finishes for Clamp: Silver Natural Anodised (NA)
- Standard Track Profile Finishes: Silver Natural Anodised (NA). Other finishes upon request.


Option accessories:

-FP-153.40 Concealed recess pull.

- -Flush bolt.
- -SUS Butter-hinge.
- -SUS Butter-hinge with pull handle.
- -WL-818 Dead-lock.
- -WL-300 Hook-lock.

-WL-580 Hook-lock with hook bolt adjust distance construction .

WCFD-800T-80 COMPLETE KIT



GUARANTEE

The *WEIDER* Slide Folding Door System are guaranteed for long-term use of 100,000 cycles or **3 years** from date of manufacture against any defects in material or workmanship. Defective products will be replaced with a new unit; but no claims for damage incurred or work done thereon will be allowed. This guarantee is void if the product has been subjected to misapplication, abuse or dismantle.

Optional accessories




Product Catalog & Technical Specifications

Center Folding Timber / Metal Door System WCFD-800T-80

Application

Rev.20151204 International Patent Registered






WCFD-800T-80-4P-BS



6 Leaves center folding hinged to one side.



WCFD-800T-80-6P-BS



4 Leaves center folding to the both side.



6 Leaves center folding to the both side.



