

Lock & Door Accessories

Product Guide 2012




GSH

Stainless Steel Pull Handle

Applications *swing door*


PH001



Art. No.	φ	C	L	H
PH001/19/150	19	150	169	55
PH001/19/200	19	200	219	55
PH001/19/250	19	250	269	55
PH001/19/300	19	300	319	55
PH001/19/400	19	400	419	55
PH001/25/250	25	250	275	70
PH001/25/300	25	300	325	70
PH001/25/350	25	350	375	70
PH001/25/600	25	600	625	70
PH001/32/300	32	300	332	85
PH001/32/400	32	400	432	85
PH001/32/600	32	600	632	85
PH001/32/800	32	800	832	85


available on hollow and solid

PH002



Art. No.	φ	C	L	H
PH002 /150	19	150	300	100

PH003



Art. No.	φ	C	L	H
PH003/25/200	25	200	225	70
PH003/25/300	25	300	325	70
PH003/32/300	32	300	332	80

index
handle

stainless steel
pull handle

stainless steel
hollow lever hand

stainless steel
solid lever handle

stainless steel
security handle

lock

stainless steel
mortise lock

cylinder

double cylinder

double cylinder
with knob

half cylinder

half cylinder
with knob

accessories

stainless steel
flush bolt

door chain

door guard

door stop

door holder

door viewer

cup handle

door hinge

stainless steel
lift off hinge

stainless steel
rising hinge

stainless steel
flush hinge


stainless steel
action spring hinge

Stainless Steel Hollow Lever Handle


Applications

swing door


LH001




LH002




LH003





LH004



LH005





LH006




Stainless Steel Hollow Lever Handle

Applications *swing door*


LH007



LH008



LH009



▼ index
handle

stainless steel
pull handle

stainless steel
hollow lever handle

stainless steel
solid lever handle

stainless steel
security handle

lock

stainless steel
mortise lock

cylinder

double cylinder

double cylinder
with knob

half cylinder

half cylinder
with knob

accessories

stainless steel
flush bolt

door chain

door guard

door stop

door holder

door viewer

cup handle

door hinge

stainless steel
lift off hinge

stainless steel
rising hinge

stainless steel
flush hinge


stainless steel
action spring hinge

Stainless Steel Solid Lever Handle



Applications

swing door



LH101




LH102




LH103



LH104



LH105




Stainless Steel Security Handle


Applications

swing door


SH001




SH002



SH003



SH004



index
handle

stainless steel
pull handle

stainless steel
hollow lever han

stainless steel
solid lever handle

stainless steel
security handle

lock

stainless steel
mortise lock

cylinder

double cylinder

double cylinder
with knob

half cylinder

half cylinder
with knob

accessories

stainless steel
flush bolt

door chain

door guard

door stop

door holder

door viewer

cup handle

door hinge

stainless steel
lift off hinge

stainless steel
rising hinge

stainless steel
flush hinge

stainless steel
action spring hinge

handle

stainless steel

pull handle

stainless steel

hollow lever handle

stainless steel

solid lever handl

stainless steel

security handle

lock

stainless steel

mortise lock

cylinder

double cylinder

double cylinder

with knob

half cylinder

half cylinder

with knob

accessories

stainless steel

flush bolt

door chain

door guard

door stop

door holder

door viewer

cup handle

door hinge

stainless steel

lift off hinge

stainless steel

rising hinge

stainless steel

flush hinge

stainless steel


action spring hinge

Stainless Steel Mortise Lock

Applications


swing door

ML01




Art No	backset	distance
ML01/45/72	45	72
ML01/45/85	45	85
ML01/50/72	50	72
ML01/50/85	50	85
ML01/55/72	55	72
ML01/55/85	55	85
ML01/60/72	60	72
ML01/60/85	60	85
ML01/65/72	65	72
ML01/65/85	65	85

ML02



Art No.	backset	distance
ML02/25/72	25	72
ML02/30/72	30	72
ML02/35/72	35	72

ML03




Art No	backset	distance
ML03/45/72	45	72
ML03/45/85	45	85
ML03/50/72	50	72
ML03/50/85	50	85
ML03/55/72	55	72
ML03/55/85	55	85
ML03/60/72	60	72
ML03/60/85	60	85
ML03/65/72	65	72
ML03/65/85	65	85

Stainless Steel Mortise Lock


Applications swing or sliding door

ML04




Art No.	backset	distance
ML04/55	55	

ML05



Art No.	backset	distance
ML05/55	55	

ML06



Art No.	backset	distance
ML06/55	55	

▼ index

handle

stainless steel
pull handle

stainless steel
hollow lever han

stainless steel
solid lever handle

stainless steel
security handle

lock

stainless steel
mortise lock

cylinder

double cylinder

double cylinder
with knob

half cylinder

half cylinder
with knob

accessories

stainless steel
flush bolt

door chain

door guard

door stop

door holder

door viewer

cup handle

door hinge

stainless steel
lift off hinge

stainless steel
rising hinge

stainless steel
flush hinge

stainless steel
action spring hinge

handle

stainless steel

pull handle

stainless steel

hollow lever handle

stainless steel

solid lever handl

stainless steel

security handle

lock

stainless steel

mortise lock

cylinder

double cylinder

double cylinder

with knob

half cylinder

half cylinder

with knob

accessories

stainless steel

flush bolt

door chain

door guard

door stop

door holder

door viewer

cup handle

door hinge

stainless steel

lift off hinge

stainless steel

rising hinge

stainless steel

flush hinge

stainless steel


action spring hinge

Stainless Steel Mortise Lock

Applications



sliding door

ML07




Art No.	backset	distance
ML07/30	30	•

ML08



Art No.	backset	distance
ML08/30	30	•

ML09



Art No.	backset	distance
ML09/25	25	•

Cylinder

Applications *swing door*

CY001



double cylinder

Art No.	Cylinder Length
CY001/50	50mm
CY001/60	60mm
CY001/65	65mm
CY001/70	70mm

CY002



double Cylinder with knob

Art No.	Cylinder Length
CY002/50	50mm
CY002/60	60mm
CY002/65	65mm
CY002/70	70mm

CY003



half cylinder with key

Art No.	Cylinder Length
CY003/45	45mm
CY003/50	50mm
CY003/60	60mm

CY004



half cylinder with with knob

Art No.	Cylinder Length
CY004/45	45mm
CY004/50	50mm
CY004/60	60mm

handle

stainless steel
pull handle

stainless steel
hollow lever han

stainless steel
solid lever handle

stainless steel
security handle

lock

stainless steel
mortise lock

cylinder

double cylinder

double cylinder
with knob

half cylinder

half cylinder
with knob

accessories

stainless steel
flush bolt

door chain

door guard

door stop

door holder

door viewer

cup handle

door hinge

stainless steel
lift off hinge

stainless steel
rising hinge

stainless steel
flush hinge

stainless steel
action spring hinge

handle

stainless steel

pull handle

stainless steel

hollow lever handle

stainless steel

solid lever handl

stainless steel

security handle

lock

stainless steel

mortise lock

cylinder

double cylinder

double cylinder

with knob

half cylinder

half cylinder

with knob

accessories

stainless steel

flush bolt

door chain

door guard

door stop

door holder

door viewer

cup handle

door hinge

stainless steel

lift off hinge

stainless steel

rising hinge

stainless steel

flush hinge

stainless steel

action spring hinge


Master Key System

Applications

swing or sliding door


Each house door lock is opened by a different key. Whereas, every apartment house owner's door key can open all public door locks and exit door locks.

Apartment key System



KA KEY SYSTEM


A set of locks keyed-alike means that the same key can open all of the locks.



Door Accesories

Applications *swing door*

FB001
stainless steel flush bolt



Art No.	width	length
FB001/6	1 "	6"
FB001/8	1 "	8"
FB001/10	1 "	10"
FB001/12	1 "	12"

FB002
stainless steel flush bolt



Art No.	width	length
FB002/6	3/4"	6"
FB002/8	3/4"	8"
FB002/10	3/4"	10"
FB002/12	3/4"	12"
FB002/18	3/4"	18"
FB002/24	3/4"	24"

▼ index

handle

stainless steel
pull handle

stainless steel
hollow lever han

stainless steel
solid lever handle

stainless steel
security handle

lock

stainless steel
mortise lock

cylinder

double cylinder

double cylinder
with knob

half cylinder

half cylinder
with knob

accessories

stainless steel
flush bolt

door chain

door guard

door stop

door holder

door viewer

cup handle

door hinge

stainless steel
lift off hinge

stainless steel
rising hinge

stainless steel
flush hinge

stainless steel
action spring hinge

handle

stainless steel
pull handle

stainless steel
hollow lever handle

stainless steel
solid lever handl

stainless steel
security handle

lock

stainless steel
mortise lock

cylinder

double cylinder

double cylinder
with knob

half cylinder

half cylinder
with knob

accessories

stainless steel
flush bolt

door chain

door guard

door stop

door holder

door viewer

cup handle

door hinge

stainless steel
lift off hinge

stainless steel
rising hinge

stainless steel
flush hinge

stainless steel
action spring hinge

Door Accesories

Applications

swing door

DC001BR
brass door chain



DC002ZN
zinc alloy door guard



DC003SS
stainless steel door chain



DS001ZN
zinc alloy door stop



DS002SS
stainless steel door stop



DS003SS
stainless steel door stop



Door Accesories

Applications

swing door

DS004SS

stainless steel door stop




DV001BR

brass door viewer



CH001SS

stainless stell cup handle



DH001SS

stainless steel door holder



DPS001SS

brass door dust proof strike



▼ index

handle

stainless steel
pull handle

stainless steel
hollow lever han

stainless steel
solid lever handle

stainless steel
security handle

lock

stainless steel
mortise lock

cylinder

double cylinder

double cylinder
with knob

half cylinder

half cylinder
with knob

accessories

stainless steel
flush bolt

door chain

door guard

door stop

door holder

door viewer

cup handle

door hinge

stainless steel
lift off hinge

stainless steel
rising hinge

stainless steel
flush hinge

stainless steel
action spring hinge

handle

stainless steel

pull handle

stainless steel

hollow lever handle

stainless steel

solid lever handle

stainless steel

security handle

lock

stainless steel

mortise lock

cylinder

double cylinder

double cylinder

with knob

half cylinder

half cylinder

with knob

accessories

stainless steel

flush bolt

door chain

door guard

door stop

door holder

door viewer

cup handle

door hinge

stainless steel

lift off hinge

stainless steel

rising hinge

stainless steel

flush hinge

stainless steel

action spring hinge

Door Hinge




Applications

swing door



Art No.	L	W	T
SSH302020-PN	3"	2"	2
SSH303020-PN	3"	3"	2
SSH302520-PN	3"	2.5"	2
SSH403020-PN	4"	3"	2
SSH403030-PN	4"	3"	3

Art No.	L	W	T
SSH403025-2BB	3"	2.5"	2
SSH403020-2BB	4"	3"	2
SSH403025-2BB	4"	3"	2.5
SSH403030-2BB	4"	3"	3
SSH404025-2BB	4"	4"	2.5
SSH404030-2BB	4"	4"	3
SSH454035-2BB	4.5"	4"	3.5
SSH454535-2BB	4.5"	4.5"	3.5
SSH454546-2BB	4.5"	4.5"	4.6
SSH503030-2BB	5"	3"	3
SSH503530-2BB	5"	3.5"	3
SSH504030-2BB	5"	4	3




recommendation: 3 pieces per door

2.0mm hinges: 25~40kgs per door
 2.5mm hinges: 40~60kgs per door
 3.0mm hinges: 60~80kgs per door
 3.5mm hinges: 80~120kgs per door
 4.0mm hinges: 120~150kgs per door

Door Hinge

Applications *swing door*



stainless steel lift off hinge

Art No.	SIZE(LxWxT)
SSH-L1-01	65x52x2
SSH-L1-02	75x63x2
SSH-L1-03	90x65x2.5
SSH-L1-04	100X88X2.5
SSH-L1-05	100X88X3




stainless steel lift off hinge

Art No.	SIZE(LxWxT)
SSH-L2-01	100x75x2.5
SSH-L2-02	100x88x3
SSH-L2-03	127x85x3



stainless steel rising hinge

Art No.	SIZE(LxWxT)
SSH403020RH	4"X3"X2
SSH403030RH	4"X3"X3



stainless steel flush hinge

Art No.	SIZE(LxWxT)
SSH-FH1-01	100x70x2

▼ index

handle

stainless steel
pull handle

stainless steel
hollow lever han

stainless steel
solid lever handle

stainless steel
security handle

lock

stainless steel
mortise lock

cylinder

double cylinder

double cylinder
with knob

half cylinder

half cylinder
with knob

stainless steel
flush bolt

door chain

door guard

door stop

door holder

door viewer

cup handle

door hinge

stainless steel
lift off hinge

stainless steel
rising hinge

stainless steel
flush hinge

stainless steel
action spring hinge

handle

stainless steel

pull handle

stainless steel

hollow lever handle

stainless steel

solid lever handl

stainless steel

security handle

lock

stainless steel

mortise lock

cylinder

double cylinder

double cylinder

with knob

half cylinder

half cylinder

with knob

accessories

stainless steel

flush bolt

door chain

door guard

door stop

door holder

door viewer

cup handle

door hinge

stainless steel

lift off hinge

stainless steel

rising hinge

stainless steel

flush hinge

stainless steel

action spring hinge

Door Hinge

Applications

swing door



stainless steel single action spring hinge

Art No.	SIZE(LxWxT)
SSH-SAS1-01	4"
SSH-SAS1-02	5"
SSH-SAS1-03	6"



stainless steel double action spring hinge

Art No.	SIZE(LxWxT)
SSH-DAS1-01	4"
SSH-DAS1-02	5"
SSH-DAS1-03	6"



stainless steel single action spring hinge

Art No.	SIZE(LxWxT)
SSH-SAS2-01	4"x4"x3"

Sliding system built on passion

Applications

glass door



▼ index

glass fitting

stainless steel
frameless fitting

stainless steel
patch fitting

sliding door
system

serial A for glass door

serial B for glass door

mounting type

wood door

double door

glass lock

stainless steel
glass lock lever handle

stainless steel
glass lock with handle

stainless steel
lock & strike box

shower
hinge

90 degree
opening angle

135 degree
opening angle

180 degree
opening angle

unique hinge model

shower
door pull

glass fitting

stainless steel
frameless fitting

stainless steel
patch fitting

sliding door
system

serial A for glass door

serial B for glass door

mounting type

wood door

double door

glass lock

stainless steel
glass lock lever handle

stainless steel
glass lock with handle

stainless steel
lock & strike box

shower
hinge

90 degree
opening angle

135 degree
opening angle



180 degree
opening angle

unique hinge model

shower
door pull

Stainless Steel Frameless Glass Fitting

Applications *sliding or swing glass door*



Stainless Steel Patch Fitting


Applications

glass door


PC010



bottom patch clamp



pivot hole option




A




B





C



PC050





top patch clamp for upper glass wall mounting



PC060





L shape top patch clamp



PC013



patch lock



▼ index
glass fitting

stainless steel
frameless fitting

stainless steel
patch fitting

sliding door
system

serial A for glass door

serial B for glass door

mounting type

wood door

double door

glass lock

stainless steel
glass lock lever handle

stainless steel
glass lock with handle

stainless steel
lock & strike box

shower
hinge

90 degree
opening angle

135 degree
opening angle

180 degree
opening angle

unique hinge model

shower
door pull

glass fitting

stainless steel
frameless fitting

stainless steel
patch fitting

sliding door
system

serial A for glass door

serial B for glass door

mounting type

wood door

double door

glass lock

stainless steel
glass lock lever handle

stainless steel
glass lock with handle

stainless steel
lock & strike box

shower
hinge

90 degree
opening angle

135 degree
opening angle

180 degree
opening angle

unique hinge model

shower door
pull

Stainless Steel Sliding Door System

Applications

sliding glass door




Stainless Steel Sliding Door System


Applications

glass door

serial A for glass door



1. front mounting to brick wall or wood wall



2. front mounting to glass wall

serial A for glass door
standard one set kit use with tube bar include:

- 2 pcs track roller for glass door
- 2 pcs roller stopper
- 1 pc middle bracket
- 2 pcs side bracket
- 2 pcs tube stainless steel track bar, 1 meter
- 1 pc door guide
- 2 pcs tube end plug

standard one set kit use with solid bar include:

- 2 pcs track roller for glass door
- 2 pcs roller stopper
- 1 pc solid stainless steel track bar, 2.1 meter
- 1 pc door guide



3. mounting to roof

▼ index

glass fitting

stainless steel
frameless fitting

stainless steel
patch fitting

sliding door
system

serial A for glass door

serial B for glass door

mounting type

wood door

double door

glass lock

stainless steel
glass lock lever handle

stainless steel
glass lock with handle

stainless steel
lock & strike box

shower
hinge

90 degree
opening angle

135 degree
opening angle

180 degree
opening angle

unique hinge model

shower door
pull

glass fitting

stainless steel
frameless fitting

stainless steel
patch fitting

sliding door
system

serial A for glass door

serial B for glass door

mounting type

wood door

double door

glass lock

stainless steel
glass lock lever handle

stainless steel
glass lock with handle

stainless steel
lock & strike box

shower
hinge

90 degree
opening angle

135 degree
opening angle

180 degree
opening angle

unique hinge model



shower door
pull

Stainless Steel Sliding Door System

Applications

sliding glass door

Serial A track bar instruction



Complete with tube track bar

A	B	C(QTY)	D
2000	950	3	750~1000
2330	750	4	1000~1200

Capacity 80kgs

Complete with solid track bar

A	B	C(QTY)	D
2100	900	3	750~1000
2400	750	4	1000~1200
2600	750	4	1210~1400

Capacity 120kgs

Sliding door system use for glass door thickness 8-12mm

A: track bar total long

B: fixing point distance

C: fixing point (use for counting quantity)


D: door width(mm)

Stainless Steel Sliding Door System


Applications

glass door

serial B for glass door




1. front mounting to brick wall or wood wall



2. front mounting to glass wall

serial B for glass door
standard one set kit use with tube bar include:

- 2 pcs track roller for glass door
- 2 pcs roller stopper
- 4 pcs bracket
- 1 pc tube stainless steel track bar 2.2 meters
- 1 pc door guide
- 2 pcs tube end plug



3. mounting to roof

glass fitting

stainless steel
frameless fitting

stainless steel
patch fitting

sliding door
system

serial A for glass door

serial B for glass door

mounting type

wood door

double door

glass lock

stainless steel
glass lock lever handle

stainless steel
glass lock with handle

stainless steel
lock & strike box

shower
hinge

90 degree
opening angle

135 degree
opening angle

180 degree
opening angle

unique hinge model

shower door
pull

glass fitting

stainless steel
frameless fitting

stainless steel
patch fitting

sliding door
system

serial A for glass door

serial B for glass door

mounting type

wood door

double door

glass lock

stainless steel
glass lock lever handle

stainless steel
glass lock with handle

stainless steel
lock & strike box

shower
hinge

90 degree
opening angle

135 degree
opening angle

180 degree
opening angle


unique hinge model

shower door
pull


Stainless Steel Sliding Door System

Applications


sliding glass door



1. front mounting to brick wall or wood wall



2. mounting to roof




3. mounting to roof, double door

Stainless Steel Sliding Door System

Applications


wood door

for wood door



1.front mounting to brick wall or wood wall

2. mounting to roof



3.front mounting and side mounting to brick wall or wood wall

4.front mounting and side mounting to brick wall or wood wall

▼ index

glass fitting

stainless steel
frameless fitting

stainless steel
patch fitting

sliding door
system

serial A for glass door

serial B for glass door

mounting type

wood door

double door

glass lock

stainless steel
glass lock lever handle

stainless steel
glass lock with handle

stainless steel
lock & strike box

shower
hinge

90 degree
opening angle

135 degree
opening angle

180 degree
opening angle

unique hinge model

shower door
pull

glass fitting

stainless steel
frameless fitting

stainless steel
patch fitting

sliding door
system

serial A for glass door

serial B for glass door

mounting type

wood door

double door

glass lock

stainless steel
glass lock lever handle

stainless steel
glass lock with handle

stainless steel
lock & strike box

shower
hinge

90 degree
opening angle

135 degree
opening angle

180 degree
opening angle

unique hinge model




shower door
pull

Stainless Steel Sliding Door System



Applications

sliding double door

for double door



5. mounting to roof




6. mounting to roof

serial C for wood door
standard one set kit use with tube bar include:

- 2 pcs track roller for wood door
- 2 pcs roller stopper
- 1 pc middle bracket
- 2 pcs side bracket
- 2 pcs tube stainless steel track bar
- 1 pc door guide
- 2 pc tube end plug

standard one set kit use with solid bar include:



- 2 pcs track roller for wood door
- 2 pcs roller stopper
- 1 pc solid stainless steel track bar
- 1 pc door guide



Stainless Steel Glass Lock

Applications

glass door



▼ index

glass fitting

stainless steel
frameless fitting

stainless steel
patch fitting

sliding door
system

serial A for glass door

serial B for glass door

mounting type

wood door

double door

glass lock

stainless steel
glass lock lever handle

stainless steel
glass lock with handle

stainless steel
lock & strike box

shower
hinge

90 degree
opening angle

135 degree
opening angle

180 degree
opening angle

unique hinge model

shower door
pull

glass fitting

stainless steel
frameless fitting

stainless steel
patch fitting

sliding door
system

serial A for glass door

serial B for glass door

mounting type

wood door

double door

glass lock

stainless steel
glass lock lever handle

stainless steel
glass lock with handle

stainless steel
lock & strike box

shower
hinge

90 degree
opening angle

135 degree
opening angle

180 degree
opening angle

unique hinge model



shower door
pull

Stainless Steel Glass Lock

Applications



swing door

GL01



stainless steel lever handle for glass door
1.glass door to wall frame
2.glass door to glass panel

GL02



stainless steel lever handle for glass door
with lock
1.glass door to wall frame
2.glass door to glass panel

Stainless Steel Glass Lock

Applications


glass door

GL101



glass lock with handle, for sliding door

1. glass door to wall frame
2. glass door to glass panel



▼ index

glass fitting

stainless steel
frameless fitting

stainless steel
patch fitting

sliding door
system

serial A for glass door

serial B for glass door

mounting type

wood door

double door

glass lock

stainless steel
glass lock lever handle

stainless steel
glass lock with handle


stainless steel
lock & strike box

GL102



glass lock for sliding door

1. glass door to wall frame
2. glass door to glass panel



shower
hinge

90 degree
opening angle

135 degree
opening angle

180 degree
opening angle

unique hinge model

shower door
pull

glass fitting

stainless steel
frameless fitting

stainless steel
patch fitting

sliding door
system

serial A for glass door

serial B for glass door

mounting type

wood door

double door

glass lock

stainless steel
glass lock lever handle

stainless steel
glass lock with handle

stainless steel
lock & strike box

shower
hinge

90 degree
opening angle

135 degree
opening angle

180 degree
opening angle

unique hinge model

shower door
pull


Stainless Steel Glass Lock

Applications *glass door*


GL03-1





stainless steel glass lock




GL03-2



stainless steel strike box



Left hand door



Right hand door

Stainless Steel Glass Lock


Applications

glass door

GL103




glass lock for swing door
1.glass door to wall frame
2.glass door to glass panel



GL104



glass lock for sliding door
1.glass door to wall frame
2.glass door to glass panel



▼ index

glass fitting

stainless steel
frameless fitting

stainless steel
patch fitting

sliding door
system

serial A for glass door

serial B for glass door

mounting type

wood door

double door

glass lock

stainless steel
glass lock lever handle

stainless steel
glass lock with handle

stainless steel
lock & strike box

shower
hinge

90 degree
opening angle

135 degree
opening angle

180 degree
opening angle

unique hinge model

shower door
pull

glass fitting

stainless steel
frameless fitting

stainless steel
patch fitting

sliding door system

serial A for glass door

serial B for glass door

mounting type

wood door

double door

glass lock

stainless steel
glass lock lever handle

stainless steel
glass lock with handle

stainless steel
lock & strike box

shower hinge

90 degree
opening angle

135 degree
opening angle

180 degree
opening angle

unique hinge model

shower door pull

Shower Hinge

Applications

swing glass door



Shower Hinge




Applications

glass door



SHH-201

shower hinge
wall to glass, 90 degree
door weight 50 kg



glass fitting

stainless steel
frameless fitting

stainless steel
patch fitting

sliding door
system

serial A for glass door

serial B for glass door

mounting type

wood door

double door

glass lock

stainless steel
glass lock lever handle

stainless steel
glass lock with handle

stainless steel
lock & strike box

shower
hinge

90 degree
opening angle

135 degree
opening angle

180 degree
opening angle




unique hinge model

shower door
pull






SHH-202

shower hinge
glass to glass, 135 degree
door weight 50 kg



SHH-203

shower hinge
glass to glass, 180 degree
door weight 50 kg



glass fitting

stainless steel
frameless fitting

stainless steel
patch fitting

sliding door
system

serial A for glass door

serial B for glass door

mounting type

wood door

double door

glass lock

stainless steel
glass lock lever handle

stainless steel
glass lock with handle

stainless steel
lock & strike box

shower
hinge

90 degree
opening angle

135 degree
opening angle

180 degree
opening angle

unique hinge model





shower door
pull

Shower Hinge

Applications

swing glass door




SHH-204



shower hinge
wall to glass, 90 degree
door weight 50 kg

Glass cut-out top and bottom




SHH-205



shower hinge
glass to glass, 135 degree
door weight 50 kg

Glass cut-out top and bottom

SHH-206



shower hinge
glass to glass, 180 degree
door weight 50 kg

Glass cut-out top and bottom

Shower Hinge




Applications

glass door







SHH-207

shower hinge
glass to glass, 180 degree
door weight 50 kg






SHH-208

shower hinge
wall to glass, 90 degree
door weight 50 kg



SHH-209

shower hinge
glass to glass, 135 degree
door weight 50 kg



glass fitting

stainless steel
frameless fitting

stainless steel
patch fitting

sliding door
system

serial A for glass door

serial B for glass door

mounting type

wood door

double door

glass lock

stainless steel
glass lock lever handle

stainless steel
glass lock with handle

stainless steel
lock & strike box

shower
hinge

90 degree
opening angle

135 degree
opening angle

180 degree
opening angle

unique hinge model

shower door
pull

glass fitting

stainless steel
frameless fitting

stainless steel
patch fitting

sliding door system

serial A for glass door

serial B for glass door

mounting type

wood door

double door

glass lock

stainless steel
glass lock lever handle

stainless steel
glass lock with handle

stainless steel
lock & strike box

shower hinge

90 degree
opening angle

135 degree
opening angle

180 degree
opening angle

unique hinge model

shower door pull

Shower Door Pull

Applications

swing glass door



Shower Door Pull

Applications

glass door

PH101



shower door pull

Art No.	Size
PH101/19/200x450	19x200x450
PH101/19/250x450	19x250x450
PH101/25/200x450	25x200x450
PH101/25/250x450	25x250x450

glass fitting

stainless steel
frameless fitting

stainless steel
patch fitting

sliding door
system

serial A for glass door

serial B for glass door

mounting type

wood door

double door

glass lock

stainless steel
glass lock lever handle

stainless steel
glass lock with handle

stainless steel
lock & strike box

shower
hinge

90 degree
opening angle

135 degree
opening angle

180 degree
opening angle

unique hinge mode

PH111



shower door pull

Art No.	Size
PH111/19/150	19x150
PH111/19/200	19x200
PH111/19/250	19x250
PH111/19/300	19x300
PH111/25/250	25x250
PH111/25/300	25x300

PH112



shower door pull

Art No.	Size
PH112/19/200	19x200
PH112/19/250	19x250
PH112/19/300	19x300
PH112/25/200	25x200
PH112/25/250	25x250
PH112/25/300	25x300
PH112/25/450	25x450

shower
door pull



PT. CITRA AMANTOSA SEJATI

Kebon Jeruk Baru, Ruko Blok A-15, Jakarta 11530, INDONESIA

phone : (021) 532 3403, 530 8435 | fax : (021) 530 8434

| ✉ : info@cas.co.id | website : www.cas.co.id